

Date: Sun, 27 Feb 94 04:30:39 PST
From: Ham-Equip Mailing List and Newsgroup <ham-equip@ucsd.edu>
Errors-To: Ham-Equip-Errors@UCSD.Edu
Reply-To: Ham-Equip@UCSD.Edu
Precedence: Bulk
Subject: Ham-Equip Digest V94 #46
To: Ham-Equip

Ham-Equip Digest Sun, 27 Feb 94 Volume 94 : Issue 46

Today's Topics:

FCC Regulations... (3 msgs)
FOR SALE - ICOM UHF REPEATER, KENWOOD TS-900, SCANNER
Opinions on Icom IC-2SRA?
Tuner, MFJ, Diff.-T, WANTED
YAESU FT-470
Yaesu FT2400 Mike Buttons

Send Replies or notes for publication to: <Ham-Equip@UCSD.Edu>
Send subscription requests to: <Ham-Equip-REQUEST@UCSD.Edu>
Problems you can't solve otherwise to brian@ucsd.edu.

Archives of past issues of the Ham-Equip Digest are available
(by FTP only) from UCSD.Edu in directory "mailarchives/ham-equip".

We trust that readers are intelligent enough to realize that all text
herein consists of personal comments and does not represent the official
policies or positions of any party. Your mileage may vary. So there.

Date: 26 Feb 1994 05:00:13 GMT
From: hmwajjee@athena.mit.edu
Subject: FCC Regulations...
To: ham-equip@ucsd.edu

Hello. I am not sure if this is 100% relevant for this channel, but I figure
that the people that would know anything about the area of my question are
subscribed to this channel.

I am a student here at MIT that is implementing a project to "track" the MIT
shuttles, so that students logged into the network will be able to find out where
it is and when to wait. In order to do this, I was probably going to use a
numerical code, transmitted using touch-tone (DTMF) encoders and decoders,

In order to do this, however, I would have to use a frequency on which to
transmit. Thus, this project then finds itself at the hands of the FCC. I was
wondering if anyone out there knows about the regulations concerning broadcasting

"beeps" over the range of a few square miles in a major city. This will probably be a signal in the range of 10^1 kW. Which regulations apply? How do I find out about them? What radio bands would/could I use? Any idea as to the efficiency of such transmission?

Anyway, thanks for listening, and I hope someone out there has both the answers and the time to write back.

Replies to: hmwajjee@mit.edu

Thanks again,
Hussein

Date: 26 Feb 1994 04:59:11 GMT
From: hmwajjee@athena.mit.edu
Subject: FCC Regulations...
To: ham-equip@ucsd.edu

Hello. I am not sure if this is 100% relevant for this channel, but I figure that the people that would know anything about the area of my question are subscribed to this channel.

I am a student here at MIT that is implementing a project to "track" the MIT shuttles, so that students logged into the network will be able to find out where it is and when to wait. In order to do this, I was probably going to use a numerical code, transmitted using touch-tone (DTMF) encoders and decoders,

In order to do this, however, I would have to use a frequency on which to transmit. Thus, this project then finds itself at the hands of the FCC. I was wondering if anyone out there knows about the regulations concerning broadcasting "beeps" over the range of a few square miles in a major city. This will probably be a signal in the range of 10^1 kW. Which regulations apply? How do I find out about them? What radio bands would/could I use? Any idea as to the efficiency of such transmission?

Anyway, thanks for listening, and I hope someone out there has both the answers and the time to write back.

Replies to: hmwajjee@mit.edu

Thanks again,
Hussein

Date: 26 Feb 1994 05:02:50 GMT
From: hmwajjee@athena.mit.edu
Subject: FCC regulations...
To: ham-equip@ucsd.edu

Hello. I am not sure if this is 100% relevant for this channel, but I figure that the people that would know anything about the area of my question are subscribed to this channel.

I am a student here at MIT that is implementing a project to "track" the MIT shuttles, so that students logged into the network will be able to find out where it is and when to wait. In order to do this, I was probably going to use a numerical code, transmitted using touch-tone (DTMF) encoders and decoders,

In order to do this, however, I would have to use a frequency on which to transmit. Thus, this project then finds itself at the hands of the FCC. I was wondering if anyone out there knows about the regulations concerning broadcasting "beeps" over the range of a few square miles in a major city. This will probably be a signal in the range of 10^1 kW. Which regulations apply? How do I find out about them? What radio bands would/could I use? Any idea as to the efficiency of such transmission?

Anyway, thanks for listening, and I hope someone out there has both the answers and the time to write back.

Replies to: hmwajjee@mit.edu

Thanks again,
Hussein

Date: Fri, 25 Feb 1994 17:09:50
From: mvb.saic.com!unogate!news.service.uci.edu!usc!howland.reston.ans.net!
sol.ctr.columbia.edu!hamblin.math.byu.edu!news.byu.edu!cwis.isu.edu!mica.inel.gov!
nas_16.tis.inel.gov!ojg@network
Subject: FOR SALE - ICOM UHF REPEATER, KENWOOD TS-900, SCANNER
To: ham-equip@ucsd.edu

Posting for a friend.

1. Icom R-2030 50 watt UHF repeater. Excellent condition, in the box with all paperwork and accessories. \$1,950.00 + shipping.
2. Kenwood TS-900 with matching power supply/speaker. Includes service manual and operating manual. Lots of spare tubes (three tube final). \$375.00 + shipping.

3. New Uniden BC-8500 XLT scanner. Easy to modify for 800 mhz. \$365.00 + shipping.

Call Doug McFall (N7JHS) at (208) 524-2110 after 4:30 PM MST or leave a message to me on the internet.

Jay - WA4VRV

Date: 26 Feb 1994 05:18:27 GMT
From: mvb.saic.com!unogate!news.service.uci.edu!usc!howland.reston.ans.net!agate!
uclink.berkeley.edu!moews@network.ucsd.edu
Subject: Opinions on Icom IC-2SRA?
To: ham-equip@ucsd.edu

Does anyone have any opinions on the Icom IC-2SRA, and, in particular, its general coverage VHF/UHF receiver? Is it better than the supposedly bad Icom R-1?

--

David Moews

moews@math.berkeley.edu

Date: 26 Feb 1994 07:16:11 GMT
From: mvb.saic.com!unogate!news.service.uci.edu!usc!howland.reston.ans.net!wupost!
crcnis1.unl.edu!unlinfo.unl.edu!mcduffie@network.ucsd.edu
Subject: Tuner, MFJ, Diff.-T, WANTED
To: ham-equip@ucsd.edu

I never see used Diff-T tuners available. Anyone selling?

Gary

Date: 26 Feb 1994 11:50:05 GMT
From: mvb.saic.com!unogate!news.service.uci.edu!ihnp4.ucsd.edu!agate!doc.ic.ac.uk!
uknet!EU.net!news.forth.gr!helios.intranet.gr!phaethon!demetre@network.ucsd.edu
Subject: YAESU FT-470
To: ham-equip@ucsd.edu

CQ Netters,

While browsing through some modification files for the FT-470 I spotted a hardware modification that clames that the set is able to be converted to cover 1.25 m and 23 cm bands in place of the original 2 m and 70 cm bands !!!

Has anyone tried such a modification ? has it worked ? if yes
at what expence (receiver censitivity) ??
Please reply via e-mail to: demetre@intranet.gr

73's

Date: Fri, 25 Feb 1994 21:10:57 GMT
From: mvb.saic.com!unogate!news.service.uci.edu!usc!sol.ctr.columbia.edu!
jabba.ess.harris.com!mlb.semi.harris.com!controls.ccd.harris.com!
cal@network.ucsd.edu
Subject: Yaesu FT2400 Mike Buttons
To: ham-equip@ucsd.edu

I just bought a new FT2400 for use in my truck. The microphone has four
buttons "A, B, C & D" next to the DTMF pad. The user's manual makes
no mention of them. Are they a vestigial organ from another model or
is Yaesu just trying to confuse its customers?

They look like they should be DTMF memories. Does anyone out there
know what is and is not supported?

Carl Letter, KE4GQA
Melbourne Fl
cal@ccd.harris.com

End of Ham-Equip Digest V94 #46

